

Technical Information

Adhesin A 10 K 4



Type of adhesive	emulsion-based adhesive without plasticizer	
Field of application	Manufacture of Bags and Pouches Bottom paste for unlacquered papers, glassine paper and imitation glassine paper. Bookbinding Casing in and manual production of book cases made from paper and linen; endsheet and side glueing, general lamination works.	
Product specification		Test Method
Consistency	soft - pasty	
pH-value	5,5 ± 1,5	ISO 976
Properties	Adhesin A 10 K 4 has a long open time and therefore large surface bondings can easily be corrected. Adhesin A 10 K 4 corresponds to FDA 175.105.	
Film	Adhesin A 10 K 4 forms a slightly dull, hard film.	
Processing Application	roller, overhead glue applicator, brush	
Dilution	Adhesin A 10 K 4 can be diluted with cold water if required.	
Cleaning	Uncured adhesive residues can easily be removed with water. Wetting agents increase the cleaning process.	
Disposal	see Safety Data Sheet	
Protective Measures	see Safety Data Sheet	
Storage Conditions/ Shelf Life	In closed original packaging 6 months from date of production. Optimum storage temperature: 15 - 25 °C, protect from frost. Close containers thoroughly after use.	

The information provided herein, especially recommendations for the usage and the application of our products, is based upon our knowledge and experience. Due to different materials used as well as to varying working conditions beyond our control we strictly recommend to carry out intensive trials to test the suitability of our products with regard to the required processes and applications. We do not accept any liability with regard to the above information or with regard to any verbal recommendation, except for cases where we are liable of gross negligence or false intention.

Düsseldorf, October 1999

Van Asperen Kleefstoffen B.V. Vaartweg 106 8243 PP Lelystad
Tel: +31 (0) 320-260261 Fax: +31 (0) 320-260050
Email: info@van-asperen.nl www.van-asperen.nl

